



19205 Lanark Street Reseda, CA 91335  
Phone: (818) 727-1078 Fax: (818) 727-7676  
Toll Free: (888) 299- 8273 (vase)


Web Site: [www.ConcreteCreationsLA.com](http://www.ConcreteCreationsLA.com)  
E-mail: [Nava@ConcreteCreationsLA.com](mailto:Nava@ConcreteCreationsLA.com)

## **General Specifications**

### **Manual light system location of Gas line or LP line & shut off valve**

- First, determine the size and location of the bowl. Once you know where bowl will be placed *mark the center* on the ground.
- Plan for your gas line to come up the ground 1"- 1.5" off to the side of the marked center for bowls larger than 40".
- Gas pipe should be capped at approx. 3.5" above the ground level.
- It is better to have a concrete pad so bowl could be anchored to it. Most bowls 44" and above will have a 6" hole to accommodate both gas pipe and drainage.

IMPORTANT- make sure your plumber determined the pressure and that you can run the desired BTU, before you order bowl.



When it is not possible to place the valve next to bowl, or in freeze locals where the valve should not be placed on the floor, modification of the bowl for valve placement is required. In that case the valve is placed in the side wall of the bowl.

IMPORTANT- make sure one person can light the bowl so place valve next to the bowl if not on side wall of bowl.

Concrete Creations will supply the valve, key, and two flex lines. The



19205 Lanark Street Reseda, CA 913352  
Phone: (818) 727-1078 Fax: (818) 727-7676  
Toll Free: (888) 299- 8273 (vase)

Web Site: [www.ConcreteCreationsLA.com](http://www.ConcreteCreationsLA.com)  
E-mail: [Nava@ConcreteCreationsLA.com](mailto:Nava@ConcreteCreationsLA.com)

cost of the valve and flex lines is dependent on the BTU. Fittings between the flex and the gas pipe should be supplied by plumber.

### **Stainless steel burner or Cross fire burner**

In some cases the stainless steel ring will run more BTU than the Cross fire burner, and in others the Cross fire burner will run more BTU. The quote will specify BTU. However, the cross fire burner will burn 50% less gas than the ring while supplying more heat in most cases. The flame will be generally thicker in the Cross Fire burner.

Pan

We recommend using a pan in bowls larger than 36" for easier installation and easier maintenance.

Ring or cross fire burner should always sits ABOVE the pan.

The photos below demonstrate how pan and ring or cross fire burner should sit in the bowl.

Figure 1 Stainless Steel Ring ~





Figure 2 Cross Fire Burner  
(bowls are different)

FOR automatic ignition run 110V to the location of the bowl next to the gas line.

IMPORTANT - Bowl needs to be at least 17" h to fit automatic shut off system. For smaller bowls system will need to be retrofit to column.

Installation:

- Fire bowls should be installed by a licensed plumber.
- Fire bowls should be covered during rain; Concrete Creations offers water resistant fabric covers.

How to avoid problems during shipping?

Concrete Creations makes every effort to pack and protect all shipped products, including the purchase of shipping insurance. Nonetheless, damages do rarely occur during shipment. Our products are packed and crated in a specially built wooden crate. In the effort to avoid



19205 Lanark Street Reseda, CA 913354  
Phone: (818) 727-1078 Fax: (818) 727-7676  
Toll Free: (888) 299- 8273 (vase)

**Web Site:** [www.ConcreteCreationsLA.com](http://www.ConcreteCreationsLA.com)  
**E-mail:** [Nava@ConcreteCreationsLA.com](mailto:Nava@ConcreteCreationsLA.com)

unnecessary problems please adhere to the following simple guidelines:

- A designated person should always be present at the project to receive the pots, even if the shipping company suggests that it is not necessary.
- The shipment should always be inspected carefully for exterior damage to the box. Please Call Concrete Creations if there is any damage. Then please write the damages onto the bill of landing and have the driver sign the bill; take photographs. Whether there is damage to the exterior box or not, please open the boxes carefully while the driver is still present. The walls of the crate are nailed together and the top screwed down onto the walls.

How to avoid problems during and after installation?

Make sure that your walk way and/or gate is wide enough and that the way is paved, if not be ready with some plywood. Fire bowl should be installed by plumber. Support for the burner is available from burner manufacturer. The easiest way to move the bowl into place is to rent a pallet jack and wheel it into the area next to the gas line, you can always ask the driver to borrow his and tip him. We have a video on our Facebook page showing how to place the bowl on the gas line without real lifting, or damaging the bowl. So make sure to watch it.

Do not strap the bowl or pot, if you need to lift it with a crane of some type make sure to strap the crate. Talk to us ahead of time if you plan to crane it into place.

Installation of a cross fire burner and an automatic shut off system.

Please watch the Installation instruction video.



19205 Lanark Street Reseda, CA 91335  
Phone: (818) 727-1078 Fax: (818) 727-7676  
Toll Free: (888) 299- 8273 (vase)

**Web Site:** [www.ConcreteCreationsLA.com](http://www.ConcreteCreationsLA.com)  
**E-mail:** [Nava@ConcreteCreationsLA.com](mailto:Nava@ConcreteCreationsLA.com)

VERY important DO NOT PLACE PAN on edge without something soft in between the burner and the concrete.  
Concrete scratch easily, and will chip easily.  
Any questions please call Ray from Warming Trends 877-556-5255

\* For a manual system, ignore all the electrical part of the instruction.

### About our manufacturing process

In a process similar to ancient clay pottery techniques, our concrete pots and bowls are hand turned on a large wheel while layers of cement are applied onto iron reinforcement. When this process is utilized with cement as well as fibers and other additives, it increases the strength and durability of the pot or bowl tremendously. All Concrete Creations products are enhanced with clear interior and exterior sealer protection; for water feature usage as well as for the freeze and thaw process.

Our Products are not made by machine, and not poured into molds. The hand made - hand thrown process is unique to our products. The finish and coloring is not always uniform, because it is hand sponged. You can expect slight imperfections in the finish or color. This is normal for our hand made products and enhance the look of each piece.

Fire bowl should be covered during rain. Water resistant fabric Covers are available from Concrete Creations.

### Our Warranty

Concrete Creations warrants its products, when purchased new, to be free from defects in Materials and workmanship under normal use and service for one year from the original provable date of purchase. Replacement or repair at the option of Concrete Creations of defective part shall be the sole remedy of this warranty.