



19205 Lanark Street
Reseda, CA 91335

Phone: (818) 727-1078 Fax: (818) 727-7676
Toll Free: (888) 299- 8273 (vase)

Web Site: www.ConcreteCreationsLA.com

E-mail: Nava@ConcreteCreationsLA.com

General information on burner options

Concrete Creations offers a complete package for your fire bowl.
We offer all of our bowls with burners for Natural Gas or LP:
Following are the description of the different burner options:

- Standard Options (Stainless Steel Fire Ring).
- Energy saving (All Brass Cross Fire Burner).
- and Automatic Ignition with all brass Cross Fire Burner.

Manual light (standard):

Includes:

- **Fire bowl with 2" - 6"** base hole centered (to fit gas pipe as well as drainage)
- Standard color; smooth #90 finish
- Modification to hold plate
- Aluminum Plate cut to size.
- Flex line as necessary by BTU
- Stainless steel ring. (check quote for Size & BTU NG or LP).
- *Photo of bowl shown here is for the purpose of demonstrating the plate and burner, not necessarily the bowl*
- Lava rocks

TO ADD VALVE to this option Includes:

- Modification to fit shut off valve in side wall of bowl recommended when shut off valve cannot be next to bowl on floor or on bench.
- Valve and flex line. (BTU rating as necessary)





19205 Lanark Street
Reseda, CA 91335

Phone: (818) 727-1078 Fax: (818) 727-7676
Toll Free: (888) 299- 8273 (vase)

Web Site: www.ConcreteCreationsLA.com
E-mail: Nava@ConcreteCreationsLA.com

Manual light (Energy saving):

Includes:

- **Fire bowl with 2" -6"** base hole centered (to fit gas pipe as well as drainage)
- Standard color; smooth #90 finish
- modification to hold plate
- Aluminum Plate cut to size
- High Capacity Flex line
- Cross fire burner (Check quote for BTU rating NG or LP). Cross fire burner burns **50% less gas** than the ring.

Photo of bowl shown here is for demonstrating the plate and burner, not necessarily the bowl



TO ADD VALVE to this option Includes:

- Modification to fit shut off valve in side wall of bowl recommended when shut off valve cannot be next to bowl on floor or on bench.
- Valve and flex line. (BTU rating as necessary)





**CONCRETE
CREATIONS**

Web Site: www.ConcreteCreationsLA.com
E-mail: Nava@ConcreteCreationsLA.com

19205 Lanark Street
Reseda, CA 91335
Phone: (818) 727-1078 Fax: (818) 727-7676
Toll Free: (888) 299- 8273 (vase)

Option to upgrade to Automatic shut off system:

Includes:

- **Fire bowl with 2"-6"** base hole centered (to fit gas pipe as well as drainage)
- Standard color; smooth #90 finish
- modification to hold plate
- High Capacity flex line
- Lava rocks

Automatic shut off will automatically shut off gas supply if fire is blown off by wind or sudden rain. System will ignite from an on and off switch or remotely.



System fits and is attached under the plate burner as shown in the illustration below the photo of the burner. Plate is flat and cut to size.

Cross fire Burner (check table for BTU rating(NG or LP)

AWAIS All Weather Automated Ignition System will accommodate burners up to 280K BTU, or up to 590K depends on option

TO ADD VALVE to this option Includes:

- Modification to fit shut off valve in side wall of bowl recommended when shut off valve cannot be next to bowl on floor or on bench. This valve will be used to adjust flame size.
- Valve and flex line. (BTU rating as necessary)

Web Site: www.ConcreteCreationsLA.com
E-mail: Nava@ConcreteCreationsLA.com

Additional options

- Acid stain instead of standard concrete color (optional). Acid provides a unique finish which is not uniform and varies in colors.
- Water resistant bowl cover **with** tie down, or upgrade to zipper. inside bowl please check our website, and Facebook page for ideas. Pricing varies and will be quoted separately.



- Fire bowls should be installed by a licensed plumber.
- Fire bowls should be covered during rain; Concrete Creations offers water resistant fabric covers.
- For more details read the additional info page.
- Not all illustrations depict the same bowl.
- 30" bowls will have 2" hole centered, and cannot have valve on side wall of bowl.
- 37" - 40" bowls will have 4" hole centered.
- Bowls 30" - 40" CANNOT fit AWAIS inside the bowl only underneath the bowl in a column.
- Warranty and support for burner is available from the Burner manufacturer.